Health and mental health effects of gender-based violence

Insomnia, migraines

Hypertension, injury

Anxiety, posttraumatic stress, depression

Pregnancy complications, chronic illness

Gastrointestinal issues, stomach ulcers

STI/HIV, pelvic pain

Chronic pain, arthritis

Coker, A. L., Davis, K. E., Arias, I., Desai, S., Sanderson, M., Brandt, H. M., & Smith, P. H. (2002). Physical and mental health effects of intimate partner violence for men and women. American Journal of Preventive Medicine.; Coker, A. L., Smith, P. H., Bethea, L., King, M. R., & McKeown, R. E. (2000). Physical health consequences of physical and psychological intimate partner violence. Archives of Family Medicine.; Devries, K. M., Mak, J. Y., Bacchus, L. J.; Child, J. C., Falder, G., Petzold, M., Astbury, J., & Watts, C. H. (2013). Intimate partner violence and incident depressive symptoms and suicide attempts: A systematic review of longitudinal studies. PLoS Medicine.; ; García-Moreno, C., Pallitto, C., Devries, K., Stöckl, H., Watts, C., & Abrahams, N. (2013). Global and regional estimates of violence against women: Prevalence and health effects of intimate partner violence and non-partner; Lagdon, S., Armour, C., Stringer, M. (2014). Adult experience of mental health outcomes as a result of intimate partner violence victimisation: A systematic review. European Journal of Psychotraumatology.; sexual violence. World Health Organization.; Stubbs, A., & Szoeke, C. (2021). The Effect of Intimate Partner Violence on the Physical Health and Health-Related Behaviors of Women: A Systematic Review of the Literature. Trauma, Violence, & Abuse.